




ITEM	QTY -041	P/N	DESCRIPTION
	X	D4996-041	HOOK ASSEMBLY
1	1	D4996-1	HOOK
2	1	D4996-3	TRUNNION



D4996-041 HOOK ASSEMBLY




SECTION A-A
SCALE 2X

NOTES:
 1) MATERIAL: N/A
 2) FINISH: NONE
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: N/A
 6) IDENTIFICATION: PER QSI 044 6.7
 7) WEIGHT: 0.99 lbs
 8) SIMILAR TO DART EUGENE PART NUMBER C2-4-4KA


A	NEW ISSUE	AJS	14.01.08
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	JLM	D4996	SHEET 1 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	HOOK ASSEMBLY	NTS
DATE	14.01.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
 2014-03-31


8 7 6 5 4 3 2 1





D4996-1 HOOK



SECTION B-B



SECTION D-D
SCALE 2X





RELEASED
2014-03-10

- NOTES:**
- 1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 CONDITION
MIN UTS = 170 KSI (38 HRC)
PER AMS 5643 OR ASTM A564
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: PER QSI 044 6.7
 - 7) WEIGHT: 0.89 lbs
 - 8) PROFILE ALL NON DIMENSIONED FEATURES PER CAD FILE "D4996-1-REVA.STP"
 - 9) SIMILAR TO DART EUGENE PART NUMBER C2-4-4K

APPROVED

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	JLM	D4996	SHEET 2 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	HOOK ASSEMBLY	NTS
DATE	14.01.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1



D4996-3 TRUNNION

NOTES:

- 1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 CONDITION
MIN UTS = 170 KSI (38 HRC)
PER AMS 5643 OR ASTM A564
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: PER QSI 044 6.7
- 7) WEIGHT: 0.10 lbs
- 9) SIMILAR TO DART EUGENE PART NUMBER C2-4-2

APPROVED

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	JLM	D4996	SHEET 3 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	HOOK ASSEMBLY	NTS
DATE	14.01.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2014-03-11